




METALLIC

COLLECTION





Metallic Paint

Smooth metallic shimmer sets the next level of beauty and finishing for decorative pieces.

Simply glaze on this dazzling, soft shine coat of metallic shimmer to elevate the beauty of masonry wall, wood and metal surfaces in any space. Be mesmerized by its simplicity in expressing sophistication with bold colour choices.



Smooth metallic finish



Easy application by brush / roller



For masonry wall, wood & metal

Colour Creations™ PRO



Micaceous Iron Oxide (MIO)

Stunning metallic matte shades for metal surfaces with good protection.

Revitalize steel surfaces with metallic matte finishing that subtly transforms dullness to liveliness almost instantly. Turn steel surfaces to wonders with these lustrous shades that offers excellent protection.



Chemical resistance



Weathering resistance



Good protection for steel

Colour Creations™ PRO

Warm Silver MET 025	Champagne Bronze MET 029	Olive Green MET 009	Peony Pink MET 004	Sunbaker MET 013	Faded Lilac 916	Cave Green 915	Avocado 301	Cotton Grey 912	Pewter Grey 908
Silvery Dink MET 023	Golden Green MET 012	Lime Green MET 008	Bloom Glitter MET 006	Apricot Love MET 001	Sparkle Violet 919	Neptune Blue 903	Forest Green 303	Clay 702	Bleached Grey 910
Platinum Shine MET 019	Gold Glitter MET 028	Forest Grip MET 010	Aqua Chrome MET 024	Copper Red MET 007	Cherry Berry 917	Ocean Grey 913	Green Satin 302	Rocky Grey 909	Executive Grey 918
Iron Ore MET 030	Bold Gold MET 027	Mystic Green MET 011	Cobalt Blue MET 014	Red Velvet MET 002	Dry Clay 911	Light Grey 901	Neon Green 904	Brown 701	Silver 300
Dark Iron MET 022	Burnt Amber MET 026	Magic Mint MET 018	Gypsy Blue MET 015	Fuchsia Pink MET 003	Ashwood Brown 920	Storm Blue 914	Light Grey 501	Brown Velvet 907	Dark Grey 905
Ebon Black MET 021	Sandy Brown MET 020	Moonlight Green MET 016	Sparkle Teal MET 017	Lavender Shine MET 005	Muddy Brown 921	Midnight Blue 902	Spruce 304	Grey Black 906	

Metallic Paint



Sealer / Primer	Metal : Nippon Aquatec Red Oxide Primer Wood : Nippon Hydro Primer Masonry : Nippon Hydro Primer / Nippon Vinilex 5200 Wall Sealer / Nippon Vinilex 5400 Wall Sealer	1 Coat
Top Coat	Nippon Metallic Paint	2 Coats



Drying time

Touch Dry : 15 Minutes
Hard Dry : 45 Minutes
Recoating Interval : Min 2 Hours



Dilution

Maximum 5% dilute with Nippon Acrylic 3000 Thinner

Micaceous Iron Oxide (MIO)



Top Coat	Metal : Micaceous Iron Oxide (MIO)	2 Coats
----------	------------------------------------	---------



Drying time

Touch Dry : 1 Hours
Hard Dry : 16 Hours
Recoating Interval : Min 16 Hours



Dilution

Maximum 5% dilute with Nippon General Purpose Thinner



Advisable to wear mask during painting.



**THE
COATINGS
EXPERT™**

NIPPON PAINT (M) SDN. BHD. (7516-H)

Lot I-17, Taman Perindustrian Subang Utama, Jalan SU 4,
40300 Shah Alam, Selangor Darul Ehsan, Malaysia.

☎ 1-800-88-2663 ✉ customercare@nipponpaint.com.my

🌐 www.nipponpaint.com.my 📘 facebook.com/nipponpaintblobbies